

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/20/2023

Version - No. 1

Reviewed on 12/20/2023

1 Identification

- **Product identifier**
- **1.1 Trade name:** **Wieland-A78**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the article:** Semi-finished product
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Wieland-Werke AG
Graf-Arco-Str. 36
89079 Ulm
- **Information department:**
ESG Affairs
stefan.priggemeyer@wieland.com
- **1.4 Telephone number:** +49 731 944 2794 (Monday - Friday from 9 a.m. to 4 p.m.)

2 Hazard(s) identification

- **2.1 Classification of the substance or mixture:**
The product is not classified, according to the Globally Harmonized System (GHS).
- **2.2 Label elements:**
- **GHS label elements:** Void
- **Hazard pictograms:** Void
- **Signal word:** Void
- **Hazard statements:** Void
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable to metals.
- **vPvB:** Not applicable to metals.

3 Composition/information on ingredients

- **3.2 Chemical characterization: Mixtures**
 - **Description:** Metal in massive form.
 - **Material Code (nach DIN EN 573-3):** EN AW-AMg2,5
 - **Material number (nach DIN EN 573-3):** EN AW-5052
 - **UNS-number:** -
 - **Information:**
The classifications listed below reflect the classification of the relevant alloying constituents and are only for information.
Mentioned percentages are references values.
 - **Components:**
- | | |
|---------------------|-----------|
| 7429-90-5 Aluminium | balance% |
| 7439-95-4 Magnesium | 2.2-2.80% |

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/20/2023

Version - No. 1

Reviewed on 12/20/2023

1.1 Trade name: Wieland-A78

7440-47-3 chromium

(Contd. of page 1)

0.15-0.35%

4 First-aid measures

· **4.1 Description of first aid measures**

· **General information:**

First Aid information refer to any dust which is generated.

The mixture in solid form does not pose any significant health hazard. However, melting or activities which produce metal dust, smoke or fumes can cause that metal dust enter the body in harmful amounts.

· **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

· **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· **After swallowing:** Rinse out mouth and then drink plenty of water.

· **4.2 Most important symptoms and effects, both acute and delayed:**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed:**

No further relevant information available.

5 Fire-fighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

The product is not flammable when delivered. A fire caused by aluminium powder and chips may only be extinguished with dry sand or class D fire extinguishing agents approved for this purpose.

· **5.2 Special hazards arising from the substance or mixture**

In solid form, the product is not flammable and poses no risk of fire or explosion.

Processing (turning, sawing, grinding, filing, polishing, etc.) can produce finely dispersed aluminum particles or aluminum powder, which can heat up at room temperature in the air without energy input and can ultimately ignite. The ignition readiness depends very much on the grain size and the degree of distribution.

Finely dispersed aluminum powder can also form flammable gases (hydrogen) on contact with water, posing a risk of explosion.

The uncontrolled formation of finely dispersed aluminum during the processing of the semi-finished product in a closed room must therefore be avoided by means of suitable ventilation or extraction devices. Any dust generated must be removed by suitable means.

· **5.3 Advice for firefighters**

· **Protective equipment:** No special measures required.

US

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/20/2023

Version - No. 1

Reviewed on 12/20/2023

1.1 Trade name: Wieland-A78

(Contd. of page 2)

6 Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures:** Not required.
- **6.2 Environmental precautions:** Not required.
- **6.3 Methods and material for containment and cleaning up:**
Collect the material and if necessary dispose it as waste according to section 13.
- **6.4 Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Handling:**
- **7.1 Precautions for safe handling:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Further information about storage conditions:** Store in dry conditions.
- **7.3 Specific end use(s):** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **8.1 Control parameters**
- **Components with limit values that require monitoring at the workplace:**
- 7429-90-5 Aluminium**
- PEL Long-term value: 15*; 5** mg/m³
*Total dust; ** Respirable fraction
- REL Long-term value: 10* 5** mg/m³
as Al*Total dust**Respirable/pyro powd./welding f.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Do not inhale dust / smoke / mist.
- **Breathing equipment:** Use a suitable industrial gas mask when work-place-limits are exceeded.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/20/2023

Version - No. 1

Reviewed on 12/20/2023

1.1 Trade name: Wieland-A78

(Contd. of page 3)

- **Protection of hands:**
Protective gloves are recommended, depending upon how the semis are further processed (material of gloves: neoprene or leather).
- **Eye protection:**
Protective goggles are recommended, depending upon how the semis are further processed.
- **Body protection:**
Wear suitable protective clothing, depending upon how the semis are further processed.

9 Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Color:** Grey to silvery grey

· **Odor:** Odorless

· **Odor threshold:** Not determined.

· **Change in condition**

· **Melting point/Melting range:** Undetermined.

· **Boiling point/Boiling range:** Undetermined.

· **Flash point:** Not applicable.

· **Density at 20 °C (68 °F):** 2.7 g/cm³ (22.5315 lbs/gal)

· **Solubility in / Miscibility with water at 20 °C (68 °F):** Not soluble.

· **Solvent separation test**

· **VOC content:** 0.00 %

· **9.2 Other information**

No further relevant information available.

10 Stability and reactivity

· **10.1 Reactivity:** Not applicable.

· **10.2 Chemical stability:** Not applicable.

· **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions:** No dangerous reactions known.

· **10.4 Conditions to avoid:** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

-US-

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/20/2023

Version - No. 1

Reviewed on 12/20/2023

1.1 Trade name: Wieland-A78

(Contd. of page 4)

11 Toxicological information

- **Acute toxicity:** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
 - **on the skin:** No irritant effect.
 - **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
When used and handled according to specifications, the article does not have any harmful effects to our experience and the information provided to us.
- **Carcinogenic categories**
- **IARC (International Agency for Research on Cancer)**
7440-47-3 chromium: 3
- **NTP (National Toxicology Program)**
None of the ingredients is listed.
- **OSHA-Ca (Occupational Safety & Health Administration)**
None of the ingredients is listed.

12 Ecological information

- **12.1 Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **General notes:** Semi-finished articles from aluminium and aluminium-alloy are not soluble in water.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable to metals.
 - **vPvB:** Not applicable to metals.
- **12.6 Other adverse effects:** No further relevant information available.

13 Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation:** Contact manufacturer for recycling information.

US
(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/20/2023

Version - No. 1

Reviewed on 12/20/2023

1.1 Trade name: Wieland-A78

(Contd. of page 5)

14 Transport information

<ul style="list-style-type: none"> · 14.1 UN-Number · DOT, ADR, IMDG, IATA 	Void
<ul style="list-style-type: none"> · 14.2 UN proper shipping name · DOT, ADR, IMDG, IATA 	Void
<ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class 	Void
<ul style="list-style-type: none"> · 14.4 Packing group · DOT, ADR, IMDG, IATA 	Void
<ul style="list-style-type: none"> · 14.5 Environmental hazards: 	Not applicable.
<ul style="list-style-type: none"> · 14.6 Special precautions for user: 	Not applicable.
<ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: 	Not applicable.

15 Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**
- **Section 355 (extremely hazardous substances):**

- None of the ingredients is listed.
- **Section 313 (Specific toxic chemical listings):**

- 7429-90-5 Aluminium
- 7440-47-3 chromium
- **TSCA (Toxic Substances Control Act):**

- All components have the value ACTIVE.
- **Hazardous Air Pollutants:**

- None of the ingredients is listed.
- **Proposition 65**
- **Chemicals known to cause cancer:**

- None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for females:**

- None of the ingredients is listed.
- **Chemicals known to cause reproductive toxicity for males:**

- None of the ingredients is listed.
- **Chemicals known to cause developmental toxicity:**

- None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 12/20/2023

Version - No. 1

Reviewed on 12/20/2023

1.1 Trade name: Wieland-A78

(Contd. of page 6)

- **Carcinogen categories**
- **EPA (Environmental Protection Agency):**
7440-47-3 chromium: D
- **TLV (Threshold Limit Value established by ACGIH):**
7429-90-5 Aluminium: A4
7440-47-3 chromium: A4
- **NIOSH-Ca (National Institute for Occupational Safety and Health):**
None of the ingredients is listed.
- **Chemical safety assessment:** Void.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific article features and shall not establish a legally valid contractual relationship.

- **Department issuing SDS:** ESG Affairs
- **Contact:**
Dr. Stefan Priggemeyer
Phone +49 731 944 2794
Email: stefan.priggemeyer@wieland.com